

Message

From: Kevin Gauthier [KGauthier@hauthaway.com]
Sent: 10/12/2018 5:43:43 PM
To: Muneer, Alie [muneer.alie@epa.gov]
Subject: RE: SDS
Attachments: ATT00001.txt

Hello Alie,

I updated P-18-0169 with the new SDS on the CSPP/CDX and just got confirmation that the submission was received.

Have a good weekend,

Kevin

From: Muneer, Alie [mailto:muneer.alie@epa.gov]
Sent: Friday, October 12, 2018 10:25 AM
To: Kevin Gauthier <KGauthier@hauthaway.com>
Subject: SDS

Hello Kevin: Thanks for a good meeting yesterday. I received the SDS and it looks good. The only final comment is that on pg. 5, under the Hand section, it should include "impervious gloves". I see that it says "permeation-resistant gloves", but there could be questions on whether "permeation-resistant" and "impervious" mean the same thing. Since the SDS is being edited, it would be best to also include "impervious gloves".

I will proceed forward on this case. Pls let me know when the revised SDS has been sent via CDX.

Thanks, Alie



Alie Muneer

USEPA Headquarters | OCSPP OPPT Chemical Control Division | WJC Building-East | 1200 Pennsylvania Avenue, N. W. |
Mail Code: 7405M | Washington, DC 20460 | Ph# 202 564 6369 | Fax: 202 564 9490 | Email: muneer.alie@epa.gov | Office hours:
M-F, 8am to 4:30pm

CONFIDENTIALITY: This email may contain privileged or confidential information. If you are not the intended addressee, you may neither copy, disseminate, nor distribute it to anyone else or use it in any unauthorized manner; to do so is strictly prohibited and may be unlawful. If you receive this email by mistake, please advise the sender immediately and delete it. "Information in this message may be subject to the Privacy Act (5 USC 552a) and should be treated accordingly."